GYSPOT 2700

Ref. 055353



The GYSPOT 2700, with its 2600A maximum output is the ideal product for dent pulling and straightening of low thickness car body elements (bonnet, door, roof panel etc.) The product is multifunctional, and effective for many applications. With its low power consumption, it can work on a simple 230V power supply.

A MULTIFUNCTIONAL DENT PULLER

4 modes available:

- Welding of stars and washers for panel pulling.
- **Wavy wire welding**, ideal for a curved profile (e.g. wheelarch)
- **Contact shrinking**, to work on light impacts and for the highest quality finish.
- Able to use a graphite pencil.

VSROT CE ES

Cables length

Power supply: 2 m Earth: 1.7 m


Gun: 1.8 m

EASY TO USE

- Switch to go to graphite pencil mode.
- **Intuitive**, the control knob enables selection of both the output power and the requested mode.
- **Manual**, the weld is controlled by simply a light press of the gun trigger.

DELIVERED AS A STANDARD WITH:

- 1 spot inertia hammer (1,1kg) and 1 star holder tip.
- 3 stars
- 1 contact shrinking tip
- 1 earth pad



OPTION:

Trolley Spot 600 Ref: 053533



Trolley Spot 800 Ref: 051331



Spotter Box 2700 Ref: 053922



50/60hz	I2 max	r	U ₂	-[AM] A	I _{RMS}		cm	kg	
230V 1~	2600	Manual	5,4	16	1800	OK	20x32x18	14	